HEALTH LABORATORY SCIENCE

VOLUME 12, 1975

INDEX

	Pages		Pages
January	1–65	July	191–299
April	67–190	October	301–428

INDEX TO VOLUME 12, 1975
(Titles and Authors)

A

A Biological Safety Centrifuge. Hall, C. V. 104
A New Improved Medium for Antibiotic Susceptibility Testing of *N. Gonorrhoeae*. Shtibel, R. 76
A Strain of Pathogenic *Naegleria* Isolated from a Human Nasal Swab. Chang, S., Healy, G. R., McCabe, L., Shumaker, J. B., and Schultz, M. G. 1
Absorbed Heterophile and Ox-cell Hemolysin Test for Infectious Mononucleosis. Golubjatnikov, R., Koehler, J. E., and Inhorn, S. L. 201
Alico, R. K. and Palenchar, C. A. *Staphylococcus aureus* Recoveries on Various Brands of Membrane Filters 341
An Evaluation of New York City Transport Medium for the Detection of *Neisseria Gonorrhoeae* in Clinical Specimens. Symington, D. A. 69
An Evaluation of the IFA-GC Procedure in a Low Risk Population. Reddick, A. 208
Anderson, G. et al. Effect of Formaldehyde on the Toxicity and Potency of Pertussis Vaccine. 35
Angela, F. et al. Effect of Formaldehyde on the Toxicity and Potency of Pertussis Vaccine. ... 35
Anthelmintics and Mass Therapy. Kotcher, E. and Chavarría, A. P. 112

HEALTH LABORATORY SCIENCE

VOLUME 12, 1975

INDEX

	Pages		Pages
January	1–65	July	191–299
April	67–190	October	301–428

INDEX TO VOLUME 12, 1975
(Titles and Authors)

A

A Biological Safety Centrifuge. Hall, C. V. 104
A New Improved Medium for Antibiotic Susceptibility Testing of *N. Gonorrhoeae*. Shtibel, R. 76
A Strain of Pathogenic *Naegleria* Isolated from a Human Nasal Swab. Chang, S., Healy, G. R., McCabe, L., Shumaker, J. B., and Schultz, M. G. 1
Absorbed Heterophile and Ox-cell Hemolysin Test for Infectious Mononucleosis. Golubjatnikov, R., Koehler, J. E., and Inhorn, S. L. 201
Alico, R. K. and Palenchar, C. A. *Staphylococcus aureus* Recoveries on Various Brands of Membrane Filters 341
An Evaluation of New York City Transport Medium for the Detection of *Neisseria Gonorrhoeae* in Clinical Specimens. Symington, D. A. 69
An Evaluation of the IFA-GC Procedure in a Low Risk Population. Reddick, A. 208
Anderson, G. et al. Effect of Formaldehyde on the Toxicity and Potency of Pertussis Vaccine. 35
Angela, F. et al. Effect of Formaldehyde on the Toxicity and Potency of Pertussis Vaccine. ... 35
Anthelmintics and Mass Therapy. Kotcher, E. and Chavarría, A. P. 112

B

Basteyns, B. J. et al. Performance Evaluation of Wisconsin Laboratories Performing Implied Consent Alcohol Determinations. ... 82
Beaver, P. C. Biology of Soil-transmitted Helminths: The Massive Infection. ... 116
Becker, R. V. et al. Performance Evaluation of Wisconsin Laboratories Performing Implied Consent Alcohol Determinations. ... 82
Berryman, J. R. et al. Microorganisms in Heated Nebulizers. ... 316
Biologic and Serologic Characterization of the 161A Strain of *Naegleria fowleri*. Visvesvara, G. S. and Healy, G. R. ... 8
Biology of Soil-transmitted Helminths: The Massive Infection. Beaver, P. C. ... 116
Bodman, H. A. et al. Microorganisms in Heated Nebulizers. ... 316
Bond, W. W. et al. Gram-negative Water Bacteria in Hemodialysis Systems. ... 321
Bond, W. W. et al. Microbial Contamination of Mist Therapy Units on Six Pediatric Wards 41
Book Reviews ... 60, 126, 236, 351

C

Cada, R. L. Simulated Proficiency Test Specimens in Enteric Bacteriology. ... 12
Carson, L. A. et al. Gram-negative Water Bacteria in Hemodialysis Systems. ... 321
Carson, L. A. et al. Microbial Contamination of Mist Therapy Units on Six Pediatric Wards. 41
Cavenaugh, E. L. et al. Public Health Laboratory and the Future. ... 301
Chavarría, A. P. et al. Anthelmintics and Mass Therapy. ... 112
Chan, M. S., and Schneider, N. J. Laboratory Screening of Hemoglobinopathies. ... 91
Chang, S., Healy, G. R., McCabe, L., Shumaker, J. B., and Schultz, M. G. A Strain of Pathogenic *Naegleria* Isolated from a Human Nasal Swab. ... 1
Committee on Microbial Contamination of Surfaces, Laboratory Section, APHA, M. S. Favero, Chairman. Environmental Microbiologic Sampling in the Hospital. ... 234
Comparison of the Microhemagglutination Assay for Antibodies to *T. pallidum* and the Automatic FTA-ABS Test. Dowden, S. J. and Millian, S. J. ... 20
Corcoran, L., Kenney, H., and Tilton, R. C. Detection of *Candida* Vaginitis by a Dipstick Method. ... 100

D

Detection of *Candida* Vaginitis by a Dipstick Method. Corcoran L., Kenney, H., and Tilton, R. C. ... 100
Dowden, S. J. and Millian, S. J. Comparison of the Microhemagglutination Assay for Antibodies to *T. pallidum* and the Automatic FTA-ABS Test. ... 20

E

Editorials ... 67
Effect of Formaldehyde on the Toxicity and Potency of Pertussis Vaccine, Gottshall, R. Y., Nelson, E., Angela, F., and Anderson, G. ... 35
Environmental Microbiologic Sampling in the Hospital. Committee on Microbial Contamination of Surfaces, Laboratory Section, APHA, M. S. Favero, Chairman. ... 234
ERRATUM ... 130
Evaluation of Laboratory Management Training. White, K. S. ... 347
Evaluation of the Gonotect FA System for Confirmation of *Neisseria gonorrhoeae*. Lewis, J. S. ... 215

F

Favero, M. S., Petersen, N. J., Carson, L. A., Bond, W. W., and Hindman, S. J. Gram-negative Water Bacteria in Hemodialysis Systems. ... 321
Favero, M. S. et al. Environmental Microbiologic Sampling in the Hospital. ... 234
Favero, M. S. et al. Microbial Contamination of Mist Therapy Units on Six Pediatric Wards. 41
Fencl, V. et al. Microorganisms in Heated Nebulizers. ... 316
Field, P. H. et al. Performance Evaluation of Wisconsin Laboratories Performing Implied Consent Alcohol Determinations. ... 82
Fields, N. D. et al. Quantitative Relationship between Airborne Viable and Total Particles. ... 47

G

Gaafar, H. A. et al. Gonorrhea Screening Program in New York State. 335
Gilardi, G. L. Identification of Pigmented Gram Negative Bacilli. 311
Golubjatnikov, R., Koehler, J. E., and Inhorn, S. L. Absorbed Heterophile and Ox-cell Hemolysin Test for Infectious Mononucleosis. 201
Gonorrhea Screening Program in New York State. Lawton, W. D. and Gaafar, H. A. 335
Gottshall, R. Y., Nelson, E., Angela, F., and Anderson, G. Effect of Formaldehyde on the Toxocity and Potency of Pertussis Vaccine. 35
Gram-negative Water Bacteria in Hemodialysis Systems. Favero, M. S., Petersen, N. J., Carson, L. A., Bond, W. W., and Hindman, S. H. 321

H

Hall, C. V. A Biological Safety Centrifuge. 104
Healy, G. R. et al. A Strain of Pathogenic *Naegleria* Isolated from a Human Nasal Swab. 1
Healy, G. R. et al. Biologic and Serologic Characterization of the 161A Strain of *Naegleria fowleri*. 8
Herring, C. M. et al. Quantitative Relationship between Airborne Viable and Total Particles. 47
Hindman, S. H. et al. Gram-negative Water Bacteria in Hemodialysis Systems. 321
Hoborn, J. Steam Sterilization: A Comparison of Steam-clox and Some European Biological Indicators. 225
Hospital Infections with Pigmented Water Bacteria. Matsen, J. M. 305
Hosty, T. S. and McDurmont, C. I. Isolation of Acid-fast Organisms from Milk and Oysters. 16

I

Identification of Pigmented Gram Negative Bacilli. Gilardi, G. L. 311
Inhorn, S. L. et al. Absorbed Heterophile and Ox-cell Hemolysin Test for Infectious Mononucleosis. 201
Intersociety Committee (ISC) Methods of Air Sampling and Analysis
Analytical Method for:
Acrolein in Air (P&CAM 118) 287
Acrolein in Air (211) 291
Ammonia in Air (P&CAM 205) 369
Aromatic Amines in Air 294
Bis (chloromethyl) Ether (Bis-CME) in Air (P&CAM 213) 403
Chloride in Air 253
Cyanide in Air 274
3,3'-Dichloro-4, 4 Diaminodiphenylmethane in Air (P&CAM 207) 415
p,p-Diphenylmethane Diisocyanate (MDI) in Air 283
Fluoride in Urine 250
Fluorides and Hydrogen Fluoride in Air 242
Free Chlorine in Air 256
Gaseous and Particulate Fluorides in Air 246
General Atomic Absorption Procedure for Trace Metals (P&CAM 173) 383
Hydrogen Sulfide in Air (P&CAM 126) 362
Lead in Blood and Urine (P&CAM 208) 375
Mercury in Urine (P&CAM 165) 379
Nitrogen Dioxide in Air 259
Nitrogen Dioxide in Air (P&CAM 210) 371
Nitroglycerin and Ethylene Glycol Dinitrate in Air (P&CAM 203) 419
Organic Solvent Vapors in Air (P&CAM 127) 394
Ozone in Air (P&CAM 153) 267
Ozone in Air (P&CAM 154) 271
2,4 Toluenediisocyanate (TDI) in Air 278
Total Particulate Aromatic Hydrocarbons in Air (P&CAM 206) 407
Classification of Industrial Hygiene Methods in Accordance with NIOSH System 241, 361
Evaluation of Appendix E—Reference Method for Determination of Hydrocarbons Corrected for Methane; Fed. Reg. 36, No. 84, p. 8198 (April 30, 1971) 189
Notice of Adoption of Recommended Methods 134
Preface 132, 239, 359
Tentative Method for:
Constant Pressure Volumetric Gas Analysis for O_2, CO_2, CO, N_2, Hydrocarbons (Orsat) 177
Determination of Benzaldehyde (Aromatic Aldehydes) in Auto Exhaust or Other Sources 167
Gas Chromatographic Analysis of O_2, N_2, CO, CO_2, and CH_4 173
The Determination of Carbon Monoxide (Detector Tube Method) 42101-07-74T 171

Tentative Method of Analysis for:
Elemental Mercury in the Working Environment by Collection on Silver Wood and Atomic Absorption Spectroscopy 42242-02-74T 158
Formaldehyde, Acrolein and Low Molecular Weight Aldehydes in Industrial Emissions on a Single Collection Sample 43501-02-74T 163
Sulfate Aerosols Pyrolyzable Below 400C by Effluent Gas Analysis 12403-01-74T 150
Sulfur Trioxide and Sulfur Dioxide Emissions from Stack Gases—Colorimetric Procedure—12402-02-74T 142
Sulfur Trioxide and Sulfur Dioxide Emissions from Stack Gases—Titrimetric Procedure—12402-01-74T 135
Use of Selective Ion Electrodes to Determine Air Pollutant Species (Ambient and Source Level) 182
Isolation of Acid-fast Organisms from Milk and Oysters. Hosty, T. S. and McDurmont, C. I. 16
Ives, E. R. State and Territorial Public Health Laboratories: The Collective Experience. 195

K

Kenney, H. et al. Detection of *Candida* Vaginitis by a Dipstick Method. 100
Koehler, J. E. et al. Absorbed Heterophile and Ox-cell Hemolysin Test for Infectious Mononucleosis. 201
Kotcher, E. and Chavarría, A. P. Anthelmintics and Mass Therapy. 112
Kundsin, R. B. et al. Microorganisms in Heated Nebulizers. 316

L

Laboratory Screening of Hemoglobinopathies. Chan, M. S. and Schneider, N. J. 91
Laessig, R. H., Becker, R. V., Basteyns, B. J., and Field, P. H. Performance Evaluation of Wisconsin Laboratories Performing Implied Consent Alcohol Determinations. 82
Lawton, W. D. and Gaafar, H. A. Gonorrhea Screening Program in New York State. 335
Lewis, J. S. Evaluation of the Gonotect FA System for Confirmation of *Neisseria gonorrhoeae*. 215

M

Marshall, J. H. et al. Microbial Contamination of Mist Therapy Units on Six Pediatric Wards. 41
Martin, L. K. Overview of Quantitation of Intestinal Helminth Infections. 107
Matsen, J. M. Hospital Infections with Pigmented Water Bacteria. 305
McCabe, L. et al. A Strain of Pathogenic *Naegleria* Isolated from a Human Nasal Swab. 1
McDurmont, C. I. et al. Isolation of Acid-fast Organisms from Milk and Oysters. 16
Merrill, M. H. The Laboratory Section—A Diamond Jubilee. 191
Microbial Contamination of Mist Therapy Units on Six Pediatric Wards. Petersen, N. J., Carson, L. A., Favero, M. S., Marshall, J. H., and Bond, W. W. 41
Microorganisms in Heated Nebulizers. Spaepen, M. S., Bodman, H. A., Kundsin, R. B., Berryman, J. R., and Fencl, V. 316
Millian, S. J. et al. Comparison of the Microhemagglutination Assay for Antibodies to *T. pallidum* and the Automatic FTA-ABS Test. 20
Minnefor, A. B. et al. The Effects of Acute Infection on Blood Lead, Copper and Zinc Levels in Children. 230

N

Nelson, E. et al. Effect of Formaldehyde on the Toxicity and Potency of Pertussis Vaccine. .. 35
New Medium for Isolation of *Corynebacterium vaginale* from Genital Specimens. Smith, R. F. 219

O

Overview of Quantitation of Intestinal Helminth Infections. Martin, L. K. 107
Oxborrow, G. S., Fields, N. D., Puleo, J. R., and Herring, C. M. Quantitative Relationship between Airborne Viable and Total Particles. 47
Oleske, J. M., Valentine, J. L., and Minnefor, Anthony B. The Effects of Acute Infection on Blood Lead, Copper and Zinc Levels in Children. 230

P

Palenchar, C. A. et al. *Staphylococcus aureus* Recoveries on Various Brands of Membrane Filters. ... 341
Performance Evaluation of Wisconsin Laboratories Performing Implied Consent Alcohol Determinations. Laessig, R. H., Becker, R. V., Basteyns, B. J., and Field, P. H. ... 82
Petersen, N. J., Carson, L. A., Favero, M. S., Marshall, J. H., and Bond, W. W. Microbial Contamination of Mist Therapy Units on Six Pediatric Wards. ... 41
Petersen, N. J. et al. Gram-negative Water Bacteria in Hemodialysis Systems. ... 321
Practical Application of Diagnostic Virus Serology. Wisniewski, H. J. ... 28
Public Health Laboratory and the Future. Robinson, R. Q., and Cavenaugh, E. L. ... 301
Puleo, J. R. et al. Quantitative Relationship between Airborne Viable and Total Particles. ... 47

Q

Quantitative Relationship between Airborne Viable and Total Particles. Oxborrow, G. S., Fields, N. D., Puleo, J. R., and Herring, C. M. ... 47

R

Recent Titles for a Health Laboratory Bookshelf. Robinton, E. D. ... 52
Reddick, A. An Evaluation of the IFA-GC Procedure in a Low Risk Population. ... 208
Robinson, R. Q., and Cavenaugh, E. L. Public Health Laboratory and the Future. ... 301
Robinton, E. D. Recent Titles for a Health Laboratory Bookshelf. ... 52

S

Schneider, N. J. et al. Laboratory Screening of Hemoglobinopathies. ... 91
Schultz, M. G. et al. A Strain of Pathogenic *Naegleria* Isolated from a Human Nasal Swab. ... 1
Shtibel, R. A New Improved Medium for Antibiotic Susceptibility Testing of *N. Gonorrhoeae*. ... 76
Shumaker, J. B. et al. A Strain of Pathogenic *Naegleria* Isolated from a Human Nasal Swab. 1
Simulated Proficiency Test Specimens in Enteric Bacteriology. Cada, R. L. ... 12
Smith, R. F. New Medium for Isolation of *Corynebacterium vaginale* from Genital Specimens. ... 219
Spaepen, M. S., Bodman, H. A., Kundsin, R. B., Berryman, J. R. and Fencl, V. Microorganisms in Heated Nebulizers. ... 316
Staphylococcus aureus Recoveries on Various Brands of Membrane Filters. Alico, R. K., and Palenchar, C. A. ... 341
State and Territorial Public Health Laboratories: The Collective Experience. Ives, E. R. ... 195
Steam Sterilization: A Comparison of Steam-clox and Some European Biological Indicators. Hoborn, J. ... 225
Symington, D. A. An Evaluation of New York City Transport Medium for the Detection of *Neisseria Gonorrhoeae* in Clinical Specimens. ... 69

T

The Effects of Acute Infection on Blood Lead, Copper and Zinc Levels in Children. Oleske, J. M., Valentine, J. L., and Minnefor, A. B. ... 230
The Laboratory Section—A Diamond Jubilee. Merrill, M. H. ... 191
Tentative Program, Laboratory Section, APHA, November 17–20, 1975. ... 355
Tilton, R. C. et al. Detection of *Candida* Vaginitis by a Dipstick Method. ... 100

V

Valentine, J. L. et al. The Effects of Acute Infection on Blood Lead, Copper and Zinc Levels in Children. ... 230
Visvesvara, G. S., and Healy, G. R. Biologic and Serologic Characterization of the 161A Strain of *Naegleria fowleri*. ... 8

W

White, K. S. Evaluation of Laboratory Management Training. ... 347
Wisniewski, H. J. Practical Application of Diagnostic Virus Serology. ... 28